

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	370/352.ccls. and (RAN with MSC with gateway)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 11:26
S2	25	370/352.ccls. and (RAN with gateway)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 11:55
S3	1	"370"/\$.ccls. and (RAN with gateway with circuit with packet with terminal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 11:49
S4	21	"370"/\$.ccls. and (RAN with gateway with (circuit "adj." based "adj." network) with wireless )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 11:50
S5	1	370/353.ccls. and (RAN with gateway)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 11:56
S6	1	370/354.ccls. and (RAN with gateway)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 11:56
S7	0	370/355.ccls. and (RAN with gateway)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 11:56
S8	1	370/356.ccls. and (RAN with gateway)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 11:58

S9	26	370/352.ccls. and ((packet "adj." voice "adj." call) with (circuit with (terminal or node)) with wireless)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 12:00
S10	0	370/352.ccls. and (regist45 with origin\$5 with terminat\$5 with packet with circuit)	USPAT	OR	OFF	2005/10/14 17:04
S11	0	370/352.ccls. and (regist45 with origin\$5 with terminat\$5)	USPAT	OR	OFF	2005/10/14 17:04
S12	5	370/352.ccls. and (call with registration with termination)	USPAT	OR	OFF	2005/10/15 14:00
S13	0	"370"/\$.ccls. and (call with registration with termination with RAN)	USPAT	OR	OFF	2005/10/15 14:00
S14	0	"370"/\$.ccls. and (call with registration with termination with RAN)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/15 14:01
S15	0	"370"/\$.ccls. and (call with registration with termination with BSC)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/15 14:01
S16	1	"370"/\$.ccls. and (call with registration with termination and RAN)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/15 14:01
S17	21	"370"/\$.ccls. and (call with registration with termination and (BSC or BTS))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/15 14:10
S18	33	"370"/\$.ccls. and (registration with termination and (BSC or BTS or RAN))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/15 17:25

S19	4	"370"/\$.ccls. and (registration with termination with IP and (BSC or BTS or RAN))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/15 14:37
S20	12	370/352.ccls. and (IS-41 with (ss7 or ATM))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/18 11:31
S21	0	"370"/\$.ccls. and (IS-41 with (ss7 or ATM) with MSC with BSC with HLR)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/17 16:25
S22	13	"370"/\$.ccls. and (IS-41 with (ss7 or ATM) with HLR)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/18 11:30
S23	0	"370"/\$.ccls. and ((IOS "adj." A1) with (ss7 or ATM) with HLR)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/18 11:30
S24	0	"370"/\$.ccls. and (IS-41 with (ss7 or ATM) with HLR with S)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/18 11:30
S25	0	"370"/\$.ccls. and ((IOS "adj." A1) with (ss7 or ATM) with HLR with SIP)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/18 11:30
S26	0	"370"/\$.ccls. and (IS-41 with (ss7 or ATM) with HLR with SIP)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/18 11:30

S27	0	370/352.ccls. and (IS-41 with (ss7 or ATM) with SIP)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/18 11:43
S28	0	"370"/\$.ccls. and (circuit with user with service with profile with packet with SIP with SS7 with IS-41)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/18 11:44
S29	0	"370"/\$.ccls. and (circuit with packet with SIP with SS7 with IS-41)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/18 11:44
S30	0	"370"/352.ccls. and ( database with SIP with SS7 with IS-41)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/18 11:44
S31	0	"370"/352.ccls. and ( HLR with SIP with SS7 with IS-41)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/18 11:45
S32	0	"370"/352.ccls. and ( HLR and SIP with SS7 with IS-41)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/18 11:45
S33	5	"370"/352.ccls. and ( HLR and SIP and SS7 and IS-41)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/18 11:46
S34	13	"370"/\$.ccls. and ( HLR and SIP and SS7 and IS-41)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/18 11:48

S35	0	"370"/\$.ccls. and ( circuit with service with profile and HLR and SIP and SS7 and IS-41)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/18 11:48
S36	6	"370"/\$.ccls. and (circuit and packet and user and profile and HLR and SIP and SS7 and IS-41)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/18 11:48
S37	1718	370/352.ccls.	USPAT	OR	OFF	2005/10/18 14:03
S38	224	370/353.ccls.	USPAT	OR	OFF	2005/10/18 14:03
S39	198	370/354.ccls.	USPAT	OR	OFF	2005/10/18 14:03
S40	212	370/355.ccls.	USPAT	OR	OFF	2005/10/18 14:03